

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Reference number: EIGA039

Issue date: 17/05/2015 Revision date: 17/09/2025 Supersedes version of: 10/12/2015 Version: 1.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form Substance Name Deuterium Trade name Deuterium EC Index-No. 001-001-00-9 EC-No. : 231-952-7 CAS-No. : 7782-39-0 REACH registration No.

: 01-2120744038-56 Product code : 000010022938

: D2 Formula

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

Relevant identified uses : Industrial use. Perform risk assessment prior to use.

> Test gas/Calibration gas. Chemical reaction / Synthesis.

Use for manufacture of electronic/photovoltaic components.

1.2.2. Uses advised against

Uses advised against Consumer use.

Uses other than those listed above are not supported, contact your supplier for more

information on other uses.

## 1.3. Details of the supplier of the safety data sheet

Linde Gas GmbH Carl-von-Linde-Platz 1 A-4651 Stadl-Paura Austria T +43 50 4273

office@at.linde-gas.com

## 1.4. Emergency telephone number

: UMCO/NCEC: +44 1865 407333 (English); +49 89 220 61012 (German) Emergency number

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Physical hazards Flammable gases, Category 1B H221 H280

Gases under pressure: Compressed gas

Full text of H- and EUH-statements: see section 16

AT - en 1/14

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

GHS04

Signal word (CLP) : Danger

Hazard statements (CLP) : H221 - Flammable gas.

H280 - Contains gas under pressure; may explode if heated.

Precautionary statements (CLP)

- Prevention : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

- Response : P377 - Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

P381 - In case of leakage, eliminate all ignition sources.

: P403 - Store in a well-ventilated place.

## 2.3. Other hazards

- Storage

Other hazards : Asphyxiant in high concentrations. These high concentrations are within the flammability

range. Not classified as PBT or vPvB. Not classified as PMT or vPvM . The

substance/mixture has no endocrine disrupting properties.

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Substance type : Substance

Name	Product identifier		Classification according to Regulation (EC) No. 1272/2008 [CLP] ATE, EUH-statements, M-Factors
Deuterium	CAS-No.: 7782-39-0 EC-No.: 231-952-7 EC Index-No.: 001-001-00-9 REACH-no: 01-2120744038-	100	Flam. Gas 1B, H221 Press. Gas (Comp.), H280

Full text of H- and EUH-statements: see section 16

Contains no other components or impurities which will influence the classification of the product.

## 3.2. Mixtures

Not applicable

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep

victim warm and rested. Call a doctor. Perform cardiopulmonary resuscitation if breathing

stopped.

First-aid measures after skin contact : Adverse effects not expected from this product. First-aid measures after eye contact : Adverse effects not expected from this product.

First-aid measures after ingestion : Ingestion is not considered a potential route of exposure.

AT - en 2/14

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 4.2. Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed

In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation. See section 11.

### 4.3. Indication of any immediate medical attention and special treatment needed

None.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media

: Water spray or fog. Dry powder. Carbon dioxide. Shutting off the source of the gas is the preferred method of control. Be aware of the risk of formation of static electricity with the use of CO2 extinguishers. Do not use them in places where a flammable atmosphere may be present.

Unsuitable extinguishing media

: Do not use water jet to extinguish.

#### 5.2. Special hazards arising from the substance or mixture

Reactivity in case of fire

: No reactivity hazard other than the effects described in sub-sections below.

Specific hazards

: Exposure to fire may cause containers to rupture/explode.

Hazardous combustion products

: None.

## 5.3. Advice for firefighters

Specific methods

Do not extinguish a leaking gas flame unless absolutely necessary. Spontaneous/explosive re-ignition may occur. Extinguish any other fire.

Use fire control measures appropriate for the surrounding fire. Exposure to fire and heat radiation may cause gas receptacles to rupture. Cool endangered receptacles with water spray jet from a protected position. Prevent water used in emergency cases from entering sewers and drainage systems.

If possible, stop flow of product.

Use water spray or fog to knock down fire fumes if possible.

Move containers away from the fire area if this can be done without risk.

Special protective equipment for fire fighters

In confined space use self-contained breathing apparatus.

Standard protective clothing and equipment (Self Contained Breathing Apparatus) for fire fiahters.

Standard EN 469 - Protective clothing for firefighters. Standard - EN 659: Protective gloves for firefighters. EN 15090 Footwear for firefighters. EN 443 Helmets for fire fighting in

buildings and other structures.

Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full

face mask.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

**Emergency procedures** 

: Act in accordance with local emergency plan. Try to stop release. Evacuate area. Eliminate ignition sources. Ensure adequate air ventilation. Stay upwind. See section 8 of the SDS for more information on personal protective equipment.

## 6.1.2. For emergency responders

**Emergency procedures** 

: Monitor concentration of released product. Consider the risk of potentially explosive atmospheres. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe. See section 5.3 of the SDS for more information.

### 6.2. Environmental precautions

Try to stop release.

AT - en 3/14

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 6.3. Methods and material for containment and cleaning up

Methods and material for containment and cleaning : Ventilate area.

qu

#### 6.4. Reference to other sections

See also sections 8 and 13.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Safe handling of the gas receptacle

Safe use of the product

: Do not breathe gas.

Avoid release of product into work area.

The product must be handled in accordance with good industrial hygiene and safety procedures.

Only experienced and properly instructed persons should handle  $\,$  gases under pressure.

Consider pressure relief device(s) in gas installations.

Ensure the complete gas system was (or is regularily) checked for leaks before use.

Do not smoke while handling product.

Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt.

Avoid suck back of water, acid and alkalis.

Assess the risk of potentially explosive atmospheres and the need for explosion-proof equipment.

Purge air from system before introducing gas.

Take precautionary measures against static discharge.

Keep away from ignition sources (including static discharges).

Consider the use of only non-sparking tools. Ensure equipment is adequately earthed.

Do not allow backfeed into the container.

Protect containers from physical damage; do not drag, roll, slide or drop.

When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.)

designed to transport cylinders.

Leave valve protection caps, when provided, in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use.

If user experiences any difficulty operating valve discontinue use and contact supplier.

Never attempt to repair or modify container valves or safety relief devices.

Damaged valves should be reported immediately to the supplier.

Keep container valve outlets clean and free from contaminants particularly oil and water.

Replace valve outlet caps or plugs and container caps where supplied as soon as container is disconnected from equipment.

Close container valve after each use and when empty, even if still connected to equipment.

Never attempt to transfer gases from one cylinder/container to another.

Never use direct flame or electrical heating devices to raise the pressure of a container.

Do not remove or deface labels provided by the supplier for the identification of the content of the container.

Suck back of water into the container must be prevented.

Open valve slowly to avoid pressure shock.

AT - en 4/14

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 7.2. Conditions for safe storage, including any incompatibilities

Conditions for safe storage, including any incompatibilities

: Segregate from oxidant gases and other oxidants in store.

All electrical equipment in the storage areas should be compatible with the risk of a potentially explosive atmosphere.

Observe all regulations and local requirements regarding storage of containers.

Containers should not be stored in conditions likely to encourage corrosion.

Container valve guards or caps, when provided, should be in place.

Containers should be stored in the vertical position and properly secured to prevent them from falling over.

Stored containers should be periodically checked for general condition and leakage.

Keep container below 50°C in a well ventilated place.

Store containers in location free from fire risk and away from sources of heat and ignition.

Keep away from combustible materials.

#### 7.3. Specific end use(s)

None.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

Deuterium (7782-39-0)	
DNEL/DMEL (additional information)	
Additional information	None established.
PNEC (additional information)	
Additional information None established.	

Additional information : None available.

## 8.1.5. Control banding

No additional information available

# 8.2. Exposure controls

## Appropriate engineering controls

## Appropriate engineering controls:

Provide adequate general and local exhaust ventilation. Product to be handled in a closed system. Gas detectors should be used when flammable gases/vapours may be released. Consider the use of a work permit system e.g. for maintenance activities. Systems under pressure should be regularily checked for leakages.

#### Personal protection equipment

#### Personal protective equipment:

A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk. The following recommendations should be considered: PPE compliant to the recommended EN/ISO standards should be selected.

## Personal protective equipment symbol(s):

AT - en 5/14

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



#### Eye and face protection

#### Eye protection:

Wear safety glasses with side shields. Standard EN 166 - Personal eye-protection - specifications

#### **Skin protection**

#### Hand protection:

Wear working gloves when handling gas containers. Standard EN 388 - Protective gloves against mechanical risks, performance level 1 or higher. Recommended types include wrist gloves from leather or synthetic material with equivalent performance, fabric gloves, fabric gloves with leather palms.

#### **Respiratory protection**

#### Respiratory protection:

Self contained breathing apparatus (SCBA) or positive pressure airline with mask are to be used in oxygen-deficient atmospheres. Self contained breathing apparatus is recommended, where unknown exposure may be expected, e.g. during maintenance activities on installation systems. Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full face mask.

#### Thermal hazards

#### Thermal hazard protection:

None in addition to the above sections.

#### **Environmental exposure controls**

### **Environmental exposure controls:**

Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment.

#### Other information:

Consider the use of flame resistant anti-static safety clothing. Standard EN ISO 14116 - Limited flame spread materials. Standard EN 1149-5 - Protective clothing: Electrostatic properties. Wear safety shoes while handling containers. Standard EN ISO 20345 - Personal protective equipment - Safety footwear.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Appearance

Physical state : Gas
Colour : Colourless.
Form : Compressed gas
Odour : Odourless.

Odour threshold : Odour threshold is subjective and inadequate to warn of overexposure.

Melting point: -254 °CFreezing point: Not applicableBoiling point: -250 °CFlammability: Flammable gas.Oxidising properties: No oxidising properties.

Explosive limits : Not available
Lower explosion limit : 6.7 vol %
Upper explosion limit : 79.6 vol %

Flash point : Not applicable for gases and gas mixtures.

Auto-ignition temperature : 560 °C

Decomposition temperature : Not applicable.

pH : Not applicable for gases and gas mixtures.

Viscosity, kinematic : No reliable data available.
Viscosity, dynamic : No reliable data available.
Solubility in water : No reliable data available.

Partition coefficient n-octanol/water (Log Kow) : Not applicable for inorganic products. Partition coefficient n-octanol/water (Log Pow) : Not applicable for gas mixtures.

Vapour pressure : Not applicable. Vapour pressure at 50°C : Not applicable.

AT - en 6/14

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Critical pressure : 1660 kPa

Density : Not applicable for gases and gas mixtures.

Relative density : 0.16

Relative vapour density at 20°C : Not applicable.

Relative gas density : 0.14

Particle characteristics : Not applicable

Not applicable for gases and gas mixtures.

Nanoforms are not relevant for gases and gas mixtures.

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

Tci : 6.7 % Critical temperature : -235 °C

9.2.2. Other safety characteristics

Molecular mass : 4 g/mol

Gas group : Compressed gas

Additional information : Burns with an invisible flame.

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No reactivity hazard other than the effects described in sub-sections below.

#### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Can form explosive mixture with air. May react violently with oxidants.

## 10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid moisture in installation systems.

## 10.5. Incompatible materials

Air, Oxidisers. For additional information on compatibility refer to ISO 11114.

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity : No toxicological effects from this product.

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Skin corrosion/irritation : No known effects from this product.

pH: Not applicable for gases and gas mixtures.

Serious eye damage/irritation : No known effects from this product.

pH: Not applicable for gases and gas mixtures.

Respiratory or skin sensitisation : No known effects from this product.

Germ cell mutagenicity : No known effects from this product.

Carcinogenicity : No known effects from this product.

Reproductive toxicity : Not classified

Toxic for reproduction: Fertility: No known effects from this product.

Toxic for reproduction: unborn child: No known effects from this product.

AT - en 7/14

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

STOT-single exposure : No known effects from this product.

STOT-repeated exposure : No known effects from this product.

Aspiration hazard : Not applicable for gases and gas mixtures.

**Deuterium (7782-39-0)** 

Viscosity, kinematic No reliable data available.

## 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Other information : The substance/mixture has no endocrine disrupting properties.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Assessment : No ecological damage caused by this product.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

Not rapidly degradable

Deuterium (7782-39-0)	
LC50 96 h - Fish [mg/l]	No data available.
EC50 48h - Daphnia magna [mg/l] No data available.	
EC50 72h - Algae [mg/l]	No data available.

## 12.2. Persistence and degradability

Deuterium (7782-39-0)	
Assessment	Not applicable for inorganic products.

## 12.3. Bioaccumulative potential

Deuterium (7782-39-0)	
Partition coefficient n-octanol/water (Log Pow)	Not applicable for gas mixtures.
Partition coefficient n-octanol/water (Log Kow)	Not applicable for inorganic products.

## 12.4. Mobility in soil

Deuterium (7782-39-0)	
Assessment	No ecological damage caused by this product.

## 12.5. Results of PBT and vPvB assessment

Assessment : Not classified as PBT or vPvB.

## 12.6. Endocrine disrupting properties

Other adverse effects : Not classified as PMT or vPvM.

Assessment : The substance/mixture has no endocrine disrupting properties.

AT - en 8/14

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 12.7. Other adverse effects

Other adverse effects : Not classified as PMT or vPvM.

Effect on the ozone layer : No effect on the ozone layer.

Effect on global warming : No known effects from this product.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste treatment methods

: Contact supplier if guidance is required. Do not discharge into areas where there is a risk of forming an explosive mixture with air. Waste gas should be flared through a suitable burner with flash back arrestor. Ensure that the emission levels from local regulations or operating permits are not exceeded. Refer to the EIGA code of practice Doc.30 "Disposal of Gases", downloadable at http://www.eiga.eu for more guidance on suitable disposal methods. Do not discharge into any place where its accumulation could be dangerous. Return unused product in original container to supplier.

List of hazardous waste codes (from Commission Decision 2000/532/EC as amended)

16 05 04  $^{\star}$ : Gases in pressure containers (including halons) containing hazardous substances.

## 13.2. Additional information

External treatment and disposal of waste should comply with applicable local and/or national regulations.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 1957	UN 1957	UN 1957	UN 1957	UN 1957
14.2. UN proper shippin	g name			
DEUTERIUM, COMPRESSED	DEUTERIUM, COMPRESSED	Deuterium, compressed	DEUTERIUM, COMPRESSED	DEUTERIUM, COMPRESSED
Transport document descr	iption			
UN 1957 DEUTERIUM, COMPRESSED, 2.1, (B/D)	UN 1957 DEUTERIUM, COMPRESSED, 2.1	UN 1957 Deuterium, compressed, 2.1	UN 1957 DEUTERIUM, COMPRESSED, 2.1	UN 1957 DEUTERIUM COMPRESSED, 2.1
14.3. Transport hazard o	lass(es)			
2.1	2.1	2.1	2.1	2.1
				*
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No

AT - en 9/14

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 14.6. Special precautions for user

Special transport precautions

: Avoid transport on vehicles where the load space is not separated from the driver's compartment, Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency, Before transporting product containers: - Ensure there is adequate ventilation, - Ensure that containers are firmly secured, - Ensure valve is closed and not leaking, - Ensure valve outlet cap nut or plug (where provided) is correctly fitted, - Ensure valve protection device (where provided) is correctly fitted.

#### **Overland transport**

Classification code (ADR) 1F Special provisions (ADR) 662 Limited quantities (ADR) 0 Excepted quantities (ADR) E0 P200 Packing instructions (ADR) MP9 Mixed packing provisions (ADR) Portable tank and bulk container instructions (ADR) : (M) Tank code (ADR) CxBN(M) Tank special provisions (ADR) : TA4, TT9 Vehicle for tank carriage : FL Transport category (ADR) : 2

Special provisions for carriage - Loading, unloading : CV9, CV10, CV36

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S2, S20 Hazard identification number (Kemler No.) : 23

Orange plates :

23 1957

Tunnel restriction code (ADR) : B/D

#### Transport by sea

Limited quantities (IMDG) : 0

Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P200

EmS-No. (Fire) : F-D

EmS-No. (Spillage) : S-U

Stowage category (IMDG) : E

Stowage and handling (IMDG) : SW2

Properties and observations (IMDG) : Flammable, odourless gas. Much lighter than air (0.14).

#### Air transport

PCA Excepted quantities (IATA) : E0

PCA Limited quantities (IATA) : FORBIDDEN
PCA limited quantity max net quantity (IATA) : FORBIDDEN
PCA packing instructions (IATA) : FORBIDDEN
PCA max net quantity (IATA) : FORBIDDEN
CAO packing instructions (IATA) : 200

CAO max net quantity (IATA) : 150kg
Special provisions (IATA) : A1
ERG code (IATA) : 10L

#### Inland waterway transport

Classification code (ADN) : 1F
Special provisions (ADN) : 662
Limited quantities (ADN) : 0
Excepted quantities (ADN) : E0
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Number of blue cones/lights (ADN) : 1

AT - en 10/14

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Rail transport

Classification code (RID) : 1F
Special provisions (RID) : 662
Limited quantities (RID) : 0
Excepted quantities (RID) : E0
Packing instructions (RID) : P200
Mixed packing provisions (RID) : MP9
Portable tank and bulk container instructions (RID) : (M)
Tank codes for RID tanks (RID) : CxBN(M)

Special provisions for RID tanks (RID) : TU38, TE22, TA4, TT9

Transport category (RID) : 2

Special provisions for carriage - Loading, unloading : CW9, CW10, CW36

and handling (RID)

Colis express (express parcels) (RID) : CE3 Hazard identification number (RID) : 23

## 14.7. Maritime transport in bulk according to IMO instruments

IBC code : Not applicable.

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
40.	Deuterium	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

### **REACH Annex XIV (Authorisation List)**

Not listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

## **PIC Regulation (Prior Informed Consent)**

Not listed on the PIC list (Regulation EU 649/2012)

#### **POP Regulation (Persistent Organic Pollutants)**

Not listed on the POP list (Regulation EU 2019/1021)

## Ozone Regulation (1005/2009)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

#### **VOC Directive (2004/42)**

Restrictions on use : None.

## **Seveso Directive (Disaster Risk Reduction)**

Seveso Directive : 2012/18/EU (Seveso III) : Covered.

Seveso III Part I (Categories of dangerous substances)	Qualifying quantity (tonnes)		
	Lower-tier	Upper-tier	
P2 FLAMMABLE GASES Flammable gases, Category 1 or 2	10	50	

AT - en 11/14

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **Explosives Precursors Regulation (EU 2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

## **Drug Precursors Regulation (EC 273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

Ensure all national/local regulations are observed.

Safety data sheet in accordance with commission regulation (EU) No 2020/878.

Council Directive 89/391/EEC on the introduction of measures to encourage improvements in the safety and health of workers at work Directive 2016/425/EEC on personal protective equipment

Directive 2014/34/EU on equipment and protective systems intended for use in potentially explosive atmospheres (ATEX)

Only products that comply with the food regulations (EC) No. 1333/2008 and (EU) No. 231/2012 and are labelled as such may be used as food additives

This Safety Data Sheet has been produced to comply with Regulation (EU) 2015/830.

### 15.2. Chemical safety assessment

A CSA does not need to be carried out for this product.

## **SECTION 16: Other information**

#### Indication of changes:

Safety data sheet in accordance with commission regulation (EU) No 2020/878.

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	ADR - Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	ATE - Acute Toxicity Estimate	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
CAO	Cargo Aircraft only / Cargo Aircraft only	
CAS-No.	Chemical Abstract Service number	
CLP	CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
COD	Chemical oxygen demand (COD)	
CSA	CSA - Chemical Safety Assessment	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
EC	European Inventory of Existing Commercial Chemical Substances	
ED	Endocrine disruptor	
EINECS	EINECS - European Inventory of Existing Commercial Chemical Substances	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
IOELV	Indicative Occupational Exposure Limit Value	
LC50	Median lethal concentration	

AT - en 12/14

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
N.O.S.	Not Otherwise Specified	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PCA	Passenger and Cargo Aircraft / Passenger and Cargo Aircraft	
PNEC	Predicted No-Effect Concentration	
PPE	PPE - Personal Protection Equipment	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
RMM	RMM - Risk Management Measures	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
TRGS	Technical Rules for Hazardous Substances	
STOT-RE	Specific Target Organ Toxicity-Repeated Exposure	
STOT-SE	Specific Target Organ Toxicity-Single Exposure	
UFI	Unique Formula Identifier	
UN	UN - United Nations	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and Very Bioaccumulative	
WGK	Water Hazard Class	

Training advice
Other information

- : Ensure operators understand the flammability hazard.
- : Classification in accordance with the procedures and calculation methods of Regulation (EC) 1272/2008 (CLP). Key literature references and sources of data are maintained in EIGA doc 169: 'Classification and Labelling Guide', downloadable at http://www.Eiga.eu .

Full text of H- and EUH-statements:	
Flam. Gas 1B	Flammable gases, Category 1B
Press. Gas (Comp.)	Gases under pressure : Compressed gas
H221	Flammable gas.
H280	Contains gas under pressure; may explode if heated.

The classification complies with : ATP 12

AT - en 13/14

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

**DISCLAIMER OF LIABILITY** 

 Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out.
 Details given in this document are believed to be correct at the time of going to press.
 Whilst proper care has been taken in the preparation of this document, no liability for injury

or damage resulting from its use can be accepted.

Safety Data Sheet (SDS), EU AT

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

**End of document** 

AT - en 14/14