



## SAFETY DATA SHEET

C2H4 4 %;N2 96 %

Issue Date: 16.10.2013  
Last revised date: 22.09.2020

Version: 2.0

SDS No.: 000010022156  
1/16

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name: C2H4 4 %;N2 96 %

Trade name: Gasart 232 Banarg®, Pfl.Reg.Nr. 3875

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Industrial and professional. Perform risk assessment prior to use.  
Plant growth regulator

Uses advised against: Consumer use. Contact supplier for more information on uses. Uses other than those listed above are not supported.

#### 1.3 Details of the supplier of the safety data sheet

##### Supplier

Linde Gas GmbH  
Carl-von-Linde-Platz 1  
A-4651 Stadl-Paura

Telephone: +43 50 4273

E-mail: office@at.linde-gas.com

1.4 Emergency telephone number: Emergency number Linde: + 43 50 4273 (during business hours), Poisoning Information Center: +43 1 406 43 43

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended.

##### Physical Hazards

Gases under pressure

Compressed gas H280: Contains gas under pressure; may explode if heated.

##### Health Hazards

Specific Target Organ Toxicity - Single Exposure

Category 3 H336: May cause drowsiness or dizziness.

#### 2.2 Label Elements



## SAFETY DATA SHEET

C2H4 4 %;N2 96 %

Issue Date: 16.10.2013  
Last revised date: 22.09.2020

Version: 2.0

SDS No.: 000010022156  
2/16



Signal Word: Warning

Hazard Statement(s): H280: Contains gas under pressure; may explode if heated.  
H336: May cause drowsiness or dizziness.

### Precautionary Statements General

P101: If medical advice is needed, have product container or label at hand.  
P102: Keep out of reach of children.

### Prevention:

P261: Avoid breathing dust/fume/gas/mist/vapors/spray.  
P270: Do not eat, drink or smoke when using this product.  
P271: Use only outdoors or in a well-ventilated area.  
P273: Avoid release to the environment.  
P280: Wear personal protective equipment/face protection.  
P285: In case of inadequate ventilation wear respiratory protection.

### Response:

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P312: Call a POISON CENTRE/doctor if you feel unwell.

### Storage:

P403: Store in a well-ventilated place.  
P410: Protect from sunlight.

### Disposal

P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

### Supplemental information

EIGA-As: Asphyxiant in high concentrations.  
EUH401: To avoid risks to human health and the environment, comply with the instructions for use.



## SAFETY DATA SHEET

C<sub>2</sub>H<sub>4</sub> 4 %;N<sub>2</sub> 96 %

Issue Date: 16.10.2013  
Last revised date: 22.09.2020

Version: 2.0

SDS No.: 000010022156  
3/16

## 2.3 Other hazards

Caution, pesticides!  
Keep away from children and pets.  
Do not use the original packaging or empty containers for other purposes.  
Avoid any unnecessary contact with the agent. Misuse can damage your health.  
The application room cannot be entered during fumigation. The application room may only be opened and entered after ventilation if the ethylene content is equal to or below 200 ppm.  
SP1 - Do not allow the agent and / or its container to get into water (do not clean application equipment in the immediate vicinity of surface water, prevent indirect entry via yard and street drains)

## SECTION 3: Composition/information on ingredients

## 3.2 Mixtures

| Chemical name | Chemical formula              | Concentration | CAS-No.   | REACH Registration No.                                                                    | M-Factor: | Notes |
|---------------|-------------------------------|---------------|-----------|-------------------------------------------------------------------------------------------|-----------|-------|
| Ethylene      | C <sub>2</sub> H <sub>4</sub> | 4%            | 74-85-1   | 01-2119462827-27                                                                          | -         |       |
| Nitrogen      | N <sub>2</sub>                | 96%           | 7727-37-9 | Listed in Annex IV/V of Regulation (EC) No 1907/2006 (REACH), exempted from registration. | -         |       |

The concentrations of the components in the SDS header, product name on page one and in section 3.2 are in mol due to regulatory requirements. All concentrations are nominal.

## This substance has workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

## Classification

| Chemical name | Classification |                                                                 | Notes |
|---------------|----------------|-----------------------------------------------------------------|-------|
| Ethylene      | CLP:           | , Flam. Gas 1;H220, Press. Gas Liquef. Gas;H280, STOT SE 3;H336 |       |
| Nitrogen      | CLP:           | , Press. Gas Compr. Gas;H280                                    |       |

CLP: Regulation No. 1272/2008.

The full text for all H-statements is displayed in section 16.



## SAFETY DATA SHEET

C2H4 4 %;N2 96 %

Issue Date: 16.10.2013  
Last revised date: 22.09.2020

Version: 2.0

SDS No.: 000010022156  
4/16

### SECTION 4: First aid measures

**General:** In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation. Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Apply artificial respiration if breathing stopped.

#### 4.1 Description of first aid measures

**Inhalation:** In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation. Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Apply artificial respiration if breathing stopped.

**Eye contact:** Adverse effects not expected from this product.

**Skin Contact:** Adverse effects not expected from this product.

**Ingestion:** Ingestion is not considered a potential route of exposure.

**4.2 Most important symptoms and effects, both acute and delayed:** Respiratory arrest.

#### 4.3 Indication of any immediate medical attention and special treatment needed

**Hazards:** None.

**Treatment:** None.

### SECTION 5: Firefighting measures

**General Fire Hazards:** Heat may cause the containers to explode.

#### 5.1 Extinguishing media

**Suitable extinguishing media:** Material will not burn. In case of fire in the surroundings: use appropriate extinguishing agent.

**Unsuitable extinguishing media:** None.

**5.2 Special hazards arising from the substance or mixture:** None.

**Hazardous Combustion Products:** None.



## SAFETY DATA SHEET

C2H4 4 %;N2 96 %

Issue Date: 16.10.2013  
Last revised date: 22.09.2020

Version: 2.0

SDS No.: 000010022156  
5/16

### 5.3 Advice for firefighters

#### Special fire fighting procedures:

In case of fire: Stop leak if safe to do so. Continue water spray from protected position until container stays cool. Use extinguishants to contain the fire. Isolate the source of the fire or let it burn out.

#### Special protective equipment for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Guideline: EN 469 Protective clothing for firefighters. Performance requirements for protective clothing for firefighting. EN 15090 Footwear for firefighters. EN 659 Protective gloves for firefighters. EN 443 Helmets for fire fighting in buildings and other structures. EN 137 Respiratory protective devices - Self-contained open-circuit compressed air breathing apparatus with full face mask - Requirements, testing, marking.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

Evacuate area. Provide adequate ventilation. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe. Guideline EN 137 Respiratory protective devices - Self-contained open-circuit compressed air breathing apparatus with full face mask - Requirements, testing, marking.

### 6.2 Environmental Precautions:

Prevent further leakage or spillage if safe to do so.

### 6.3 Methods and material for containment and cleaning up:

Provide adequate ventilation.

### 6.4 Reference to other sections:

Refer to sections 8 and 13.



## SAFETY DATA SHEET

C2H4 4 %;N2 96 %

Issue Date: 16.10.2013  
Last revised date: 22.09.2020

Version: 2.0

SDS No.: 000010022156  
6/16

### SECTION 7: Handling and storage:

- 7.1 Precautions for safe handling:** Only experienced and properly instructed persons should handle gases under pressure. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Refer to supplier's handling instructions. The substance must be handled in accordance with good industrial hygiene and safety procedures. Protect containers from physical damage; do not drag, roll, slide or drop. Do not remove or deface labels provided by the supplier for the identification of the container contents. When moving containers, even for short distances, use appropriate equipment eg. trolley, hand truck, fork truck etc. Secure cylinders in an upright position at all times, close all valves when not in use. Provide adequate ventilation. Suck back of water into the container must be prevented. Do not allow backfeed into the container. Avoid suckback of water, acid and alkalis. Keep container below 50°C in a well ventilated place. Observe all regulations and local requirements regarding storage of containers. When using do not eat, drink or smoke. Store in accordance with local/regional/national/international regulations. Never use direct flame or electrical heating devices to raise the pressure of a container. Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use. Damaged valves should be reported immediately to the supplier. Close container valve after each use and when empty, even if still connected to equipment. Never attempt to repair or modify container valves or safety relief devices. Replace valve outlet caps or plugs and container caps where supplied as soon as container is disconnected from equipment. Keep container valve outlets clean and free from contaminants particularly oil and water. If user experiences any difficulty operating container valve discontinue use and contact supplier. Never attempt to transfer gases from one container to another. Container valve guards or caps should be in place.
- 7.2 Conditions for safe storage, including any incompatibilities:** Containers should not be stored in conditions likely to encourage corrosion. Stored containers should be periodically checked for general conditions and leakage. Container valve guards or caps should be in place. Store containers in location free from fire risk and away from sources of heat and ignition. Keep away from combustible material.
- 7.3 Specific end use(s):** None.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control Parameters

##### Occupational Exposure Limits

None of the components have assigned exposure limits.



## SAFETY DATA SHEET

C2H4 4 %;N2 96 %

Issue Date: 16.10.2013  
Last revised date: 22.09.2020

Version: 2.0

SDS No.: 000010022156  
7/16

### 8.2 Exposure controls

#### Appropriate engineering controls:

Consider a work permit system e.g. for maintenance activities. Ensure adequate air ventilation. Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded. Oxygen detectors should be used when asphyxiating gases may be released. Systems under pressure should be regularly checked for leakages. Preferably use permanent leak tight connections (eg. welded pipes). Do not eat, drink or smoke when using the product.

#### Individual protection measures, such as personal protective equipment

##### General information:

A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk. The following recommendations should be considered. Keep self contained breathing apparatus readily available for emergency use. Personal protective equipment for the body should be selected based on the task being performed and the risks involved.

##### Eye/face protection:

Wear eye protection to EN 166 when using gases.  
Guideline: EN 166 Personal Eye Protection.

##### Skin protection

##### Hand Protection:

Guideline: EN 388 Protective gloves against mechanical risks.  
Additional Information: Wear working gloves while handling containers

##### Body protection:

No special precautions.

##### Other:

Wear safety shoes while handling containers  
Guideline: ISO 20345 Personal protective equipment - Safety footwear.

##### Respiratory Protection:

Not required.

##### Thermal hazards:

No precautionary measures are necessary.

##### Hygiene measures:

Specific risk management measures are not required beyond good industrial hygiene and safety procedures. Do not eat, drink or smoke when using the product.

##### Environmental exposure controls:

For waste disposal, see section 13 of the SDS.



## SAFETY DATA SHEET

C2H4 4 %;N2 96 %

Issue Date: 16.10.2013  
Last revised date: 22.09.2020

Version: 2.0

SDS No.: 000010022156  
8/16

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

##### Appearance

Physical state:

Gas

Form:

Compressed gas

Color:

C2H4: Colorless

N2: Colorless

Odor:

N2: Odorless gas

C2H4: Faint sweet odor

Odor Threshold:

Odor threshold is subjective and is inadequate to warn of over exposure.

pH:

Not applicable.

Melting Point:

No data available.

Boiling Point:

No data available.

Sublimation Point:

Not applicable.

Critical Temp. (°C):

No data available.

Flash Point:

Not applicable to gases and gas mixtures.

Evaporation Rate:

Not applicable to gases and gas mixtures.

Flammability (solid, gas):

This product is not flammable.

Flammability Limit - Upper (%):

Not applicable.

Flammability Limit - Lower (%):

Not applicable.

Vapor pressure:

No reliable data available.

Vapor density (air=1):

0,99 (calculated) (15 °C)

Relative density:

No data available.

Solubility(ies)

Solubility in Water:

No data available.

Partition coefficient (n-octanol/water):

Not known.

Autoignition Temperature:

Not applicable.

Decomposition Temperature:

Not known.

Viscosity

Kinematic viscosity:

No data available.

Dynamic viscosity:

No data available.

Explosive properties:

Not applicable.

Oxidizing properties:

Not applicable.

#### 9.2 Other information:

None.





## SAFETY DATA SHEET

C<sub>2</sub>H<sub>4</sub> 4 %;N<sub>2</sub> 96 %

Issue Date: 16.10.2013  
Last revised date: 22.09.2020

Version: 2.0

SDS No.: 000010022156  
9/16

### SECTION 10: Stability and reactivity

|                                          |                                                                                                      |
|------------------------------------------|------------------------------------------------------------------------------------------------------|
| 10.1 Reactivity:                         | No reactivity hazard other than the effects described in sub-section below.                          |
| 10.2 Chemical Stability:                 | Stable under normal conditions.                                                                      |
| 10.3 Possibility of hazardous reactions: | None.                                                                                                |
| 10.4 Conditions to avoid:                | None.                                                                                                |
| 10.5 Incompatible Materials:             | No reaction with any common materials in dry or wet conditions.                                      |
| 10.6 Hazardous Decomposition Products:   | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

### SECTION 11: Toxicological information

General information: None.

#### 11.1 Information on toxicological effects

|                                                             |                                                                                                                                                                            |
|-------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute toxicity - Oral Product                               | Based on available data, the classification criteria are not met.                                                                                                          |
| Acute toxicity - Dermal Product                             | Based on available data, the classification criteria are not met.                                                                                                          |
| Acute toxicity - Inhalation Product                         | Based on available data, the classification criteria are not met.                                                                                                          |
| Component Information<br>Ethylene                           | LC 50 (Rat, 4 h): > 57000 ppm Remarks: Inhalation Experimental result, Key study                                                                                           |
| Repeated dose toxicity<br>Component Information<br>Ethylene | LOAEL (Rat(Female, Male), Inhalation, 13 Weeks): 300 ppm(m) Inhalation Experimental result, Key study<br>LOAEC (Rat): 300 ppm May cause central nervous system depression. |



**SAFETY DATA SHEET**

**C2H4 4 %;N2 96 %**

Issue Date: 16.10.2013  
Last revised date: 22.09.2020

Version: 2.0

SDS No.: 000010022156  
10/16

**Skin Corrosion/Irritation**

**Product**

Based on available data, the classification criteria are not met.

**Serious Eye Damage/Eye Irritation**

**Product**

Based on available data, the classification criteria are not met.

**Respiratory or Skin Sensitization**

**Product**

Based on available data, the classification criteria are not met.

**Germ Cell Mutagenicity**

**Product**

Based on available data, the classification criteria are not met.

**Carcinogenicity**

**Product**

Based on available data, the classification criteria are not met.

**Component Information**

Ethylene

Rat

NOAEC: 3.003 ppm

**Reproductive toxicity**

**Product**

Based on available data, the classification criteria are not met.

**Reproductive toxicity (Fertility)**

**Component Information**

Ethylene

Rat (OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)) NOAEC: 5.000 ppm

**Developmental toxicity (Teratogenicity)**

**Component Information**

Ethylene

Rat

NOAEC: 5.000 ppm

**Specific Target Organ Toxicity - Single Exposure**

**Product**

May cause drowsiness or dizziness.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product**

Based on available data, the classification criteria are not met.

**Component Information**

**Aspiration Hazard**

**Product**

Not applicable to gases and gas mixtures..



## SAFETY DATA SHEET

C2H4 4 %;N2 96 %

Issue Date: 16.10.2013  
Last revised date: 22.09.2020

Version: 2.0

SDS No.: 000010022156  
11/16

### SECTION 12: Ecological information

General information: Not applicable

#### 12.1 Toxicity

##### Acute toxicity

###### Product

No ecological damage caused by this product.

##### Acute toxicity - Fish

###### Component Information

###### Ethylene

LC 50 (Various, 96 h): 126,012 mg/l Remarks: QSAR QSAR, Supporting study

##### Acute toxicity - Aquatic Invertebrates

###### Component Information

###### Ethylene

LC 50 (Daphnia sp., 48 h): 62,482 mg/l Remarks: QSAR QSAR, Supporting study

##### Toxicity to Aquatic Plants

###### Component Information

###### Ethylene

EbC50 (Algae (Chlorella vulgaris), 72 h): 40,5 mg/l (OECD Guideline 201 (Freshwater Alga and Cyanobacteria, Growth Inhibition Test))

#### 12.2 Persistence and Degradability

###### Product

Not applicable to gases and gas mixtures..

##### Biodegradation

###### Component Information

###### Ethylene

50 % (2,9 d) Detected in water. QSAR, Weight of Evidence study

#### 12.3 Bioaccumulative potential

###### Product

The subject product is expected to biodegrade and is not expected to persist for long periods in an aquatic environment.

#### 12.4 Mobility in soil

###### Product

Because of its high volatility, the product is unlikely to cause ground or water pollution.

#### 12.5 Results of PBT and vPvB assessment

###### Product

Not classified as PBT or vPvB.



## SAFETY DATA SHEET

C2H4 4 %;N2 96 %

Issue Date: 16.10.2013  
Last revised date: 22.09.2020

Version: 2.0

SDS No.: 000010022156  
12/16

### 12.6 Other adverse effects:

#### Global Warming Potential

Global warming potential: 0,2  
Contains greenhouse gas(es). When discharged in large quantities may contribute to the greenhouse effect.

#### Component Information

Ethylene

EU. Non-Fluorinated Substance GWPs (Annex IV), Regulation 517/2014/EU on fluorinated greenhouse gases  
- Global warming potential: 4

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### General information:

Do not discharge into any place where its accumulation could be dangerous. Vent to atmosphere in a well ventilated place.

#### Disposal methods:

Refer to the EIGA code of practice (Doc.30 "Disposal of Gases", downloadable at <http://www.eiga.org>) for more guidance on suitable disposal methods. Dispose of container via supplier only. Discharge, treatment, or disposal may be subject to national, state, or local laws.

#### European Waste Codes

Container:

16 05 05: Gases in pressure containers other than those mentioned in 16 05 04.

## SECTION 14: Transport information

### ADR

- |                                    |                                            |
|------------------------------------|--------------------------------------------|
| 14.1 UN Number:                    | UN 1956                                    |
| 14.2 UN Proper Shipping Name:      | COMPRESSED GAS, N.O.S.(Nitrogen, Ethylene) |
| 14.3 Transport Hazard Class(es)    |                                            |
| Class:                             | 2                                          |
| Label(s):                          | 2.2                                        |
| Hazard No. (ADR):                  | 20                                         |
| Tunnel restriction code:           | (E)                                        |
| 14.4 Packing Group:                | -                                          |
| 14.5 Environmental hazards:        | Not applicable                             |
| 14.6 Special precautions for user: | -                                          |



# SAFETY DATA SHEET

C2H4 4 %;N2 96 %

Issue Date: 16.10.2013  
Last revised date: 22.09.2020

Version: 2.0

SDS No.: 000010022156  
13/16

## RID

|                                    |                                            |
|------------------------------------|--------------------------------------------|
| 14.1 UN Number:                    | UN 1956                                    |
| 14.2 UN Proper Shipping Name       | COMPRESSED GAS, N.O.S.(Nitrogen, Ethylene) |
| 14.3 Transport Hazard Class(es)    |                                            |
| Class:                             | 2                                          |
| Label(s):                          | 2.2                                        |
| 14.4 Packing Group:                | –                                          |
| 14.5 Environmental hazards:        | Not applicable                             |
| 14.6 Special precautions for user: | –                                          |

## IMDG

|                                    |                                            |
|------------------------------------|--------------------------------------------|
| 14.1 UN Number:                    | UN 1956                                    |
| 14.2 UN Proper Shipping Name:      | COMPRESSED GAS, N.O.S.(Nitrogen, Ethylene) |
| 14.3 Transport Hazard Class(es)    |                                            |
| Class:                             | 2.2                                        |
| Label(s):                          | 2.2                                        |
| EmS No.:                           | F-C, S-V                                   |
| 14.4 Packing Group:                | –                                          |
| 14.5 Environmental hazards:        | Not applicable                             |
| 14.6 Special precautions for user: | –                                          |

## IATA

|                                    |                                            |
|------------------------------------|--------------------------------------------|
| 14.1 UN Number:                    | UN 1956                                    |
| 14.2 Proper Shipping Name:         | Compressed gas, n.o.s.(Nitrogen, Ethylene) |
| 14.3 Transport Hazard Class(es)    |                                            |
| Class:                             | 2.2                                        |
| Label(s):                          | 2.2                                        |
| 14.4 Packing Group:                | –                                          |
| 14.5 Environmental hazards:        | Not applicable                             |
| 14.6 Special precautions for user: | –                                          |
| Other information                  |                                            |
| Passenger and cargo aircraft:      | Allowed.                                   |
| Cargo aircraft only:               | Allowed.                                   |

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable

### Additional identification:

Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers ensure that they are firmly secured. Ensure that the container valve is closed and not leaking. Container valve guards or caps should be in place. Ensure adequate air ventilation.



# SAFETY DATA SHEET

C2H4 4 %;N2 96 %

Issue Date: 16.10.2013  
Last revised date: 22.09.2020

Version: 2.0

SDS No.: 000010022156  
14/16

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

#### EU Regulations

EU. Directive 2012/18/EU (SEVESO III) on major accident hazards involving dangerous substances, as amended.:Not applicable

Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:

| Chemical name | CAS-No. | Concentration |
|---------------|---------|---------------|
| Ethylene      | 74-85-1 | 1,0 - 10%     |

#### National Regulations

Council Directive 89/391/EEC on the introduction of measures to encourage improvements in the safety and health of workers at work Directive 89/686/EEC on personal protective equipment Only products that comply with the food regulations (EC) No. 1333/2008 and (EU) No. 231/2012 and are labelled as such may be used as food additives.

This Safety Data Sheet has been produced to comply with Regulation (EU) 2015/830.

15.2 Chemical safety assessment: No Chemical Safety Assessment has been carried out.

## SECTION 16: Other information

Revision Information: Not relevant.



## SAFETY DATA SHEET

C2H4 4 %;N2 96 %

Issue Date: 16.10.2013  
Last revised date: 22.09.2020

Version: 2.0

SDS No.: 000010022156  
15/16

## Key literature references and sources for data:

Various sources of data have been used in the compilation of this SDS, they include but are not exclusive to:

Agency for Toxic Substances and Diseases Registry (ATSDR) (<http://www.atsdr.cdc.gov/>).

European Chemical Agency: Guidance on the Compilation of Safety Data Sheets.

European Chemical Agency: Information on Registered Substances <http://apps.echa.europa.eu/registered/registered-sub.aspx#search>

European Industrial Gases Association (EIGA) Doc. 169 "Classification and Labelling guide", as amended.

International Programme on Chemical Safety (<http://www.inchem.org/>)

ISO 10156:2010 Gases and gas mixtures - Determination of fire potential and oxidizing ability for the selection of cylinder valve outlets.

Matheson Gas Data Book, 7th Edition.

National Institute for Standards and Technology (NIST) Standard Reference Database Number 69.

The ESIS (European chemical Substances Information System) platform of the former European Chemicals Bureau (ECB) ESIS (<http://ecb.jrc.ec.europa.eu/esis/>).

The European Chemical Industry Council (CEFIC) ERICards.

United States of America's National Library of Medicine's toxicology data network TOXNET (<http://toxnet.nlm.nih.gov/index.html>)

Threshold Limit Values (TLV) from the American Conference of Governmental Industrial Hygienists (ACGIH).

Substance specific information from suppliers.

Details given in this document are believed to be correct at the time of publication.

## Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

| Classification according to Regulation (EC) No 1272/2008 as amended. | Classification procedure |
|----------------------------------------------------------------------|--------------------------|
| Gases under pressure, Compressed gas                                 | On basis of test data    |
| Specific Target Organ Toxicity - Single Exposure, Category 3         | On basis of test data    |

## Wording of the H-statements in section 2 and 3

|      |                                                     |
|------|-----------------------------------------------------|
| H220 | Extremely flammable gas.                            |
| H280 | Contains gas under pressure; may explode if heated. |
| H336 | May cause drowsiness or dizziness.                  |

## Training information:

Users of breathing apparatus must be trained. The hazard of asphyxiation is often overlooked and must be stressed during operator training. Ensure operators understand the hazards.



**SAFETY DATA SHEET**

**C2H4 4 %;N2 96 %**

Issue Date: 16.10.2013  
Last revised date: 22.09.2020

Version: 2.0

SDS No.: 000010022156  
16/16

**Classification according to Regulation (EC) No 1272/2008 as amended.**

STOT SE 3, H336

Press. Gas Compr. Gas, H280

**Other information:**

Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out. Ensure adequate air ventilation. Ensure all national/local regulations are observed. Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted.

**Last revised date:** 22.09.2020

**Disclaimer:** This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.