

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Oxygen, compressed

Issue Date: Last revised date: 16.01.2013 14.07.2022 Version: 1.4

SDS No.: 000010021701 1/15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Product name:	Oxygen, compressed
Trade name:	Gasart 201 Sauerstoff, Gasart 205 Sauerstoff 3.5, Gasart 210 Sauerstoff 4.5, Gasart 211 Sauerstoff 5.0, Gasart 213 Sauerstoff KW-frei, Gasart 204 Sauerstoff Höhenatmung, Gasart 212 Sauerstoff 6.0, Gasart 202 Conoxia® (Sauerstoff med.), Gasart 214 Biogon® 0, E948
Additional identification	
Chemical name:	Oxygen
Chemical formula:	02
INDEX No.	008-001-00-8
CAS-No.	7782-44-7
EC No.	231-956-9
REACH Registration No.	Listed in Annex IV/V of Regulation (EC) No 1907/2006 (REACH), exempted from registration.
1.2 Relevant identified uses of the substa	ance or mixture and uses advised against
Identified uses:	Industrial and professional. Perform risk assessment prior to use. Balance gas for mixtures. Calibration gas. Carrier gas. Chemical synthesis. Combustion, melting and cutting processes. Food packaging gas. Laboratory use. Laser gas. Oxidizing agent. Process gas. Shielding gas in gas welding. Test gas. Use of gas to manufacture pharmaceutical products. Consumer use. Oxidizing agent.
Uses advised against	It is the responsibility of the end user to ensure that the product as supplied is suitable for its intended use. Industrial or technical grade is unsuitable for medical and/or food applications or inhalation.

1.3 Details of the supplier of the safety data sheet

Supplier	
Linde Gas GmbH	Telephone: +43 50 4273
Carl-von-Linde-Platz 1	
A-4651 Stadl-Paura	

E-mail: office@at.linde-gas.com

1.4 Emergency telephone number: Emergency number UMCO: +49 89 220 61012 (German), +44 1865 407333 (English)



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Oxygen, compressed

Issue Date: Last revised date: 16.01.2013 14.07.2022 Version: 1.4

SDS No.: 000010021701 2/15

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended.

Physical Hazards Oxidizing gases	Category 1	H270: May cause or intensify fire; oxidizer.
Gases under pressure	Compressed gas	H280: Contains gas under pressure; may explode if heated.

2.2 Label Elements

*		
Signal Word:	Danger	
Hazard Statement(s):	H270: May cause or intensify fire; oxidizer. H280: Contains gas under pressure; may explode if heated.	
Precautionary Statements General	None.	
Prevention:	P220: Keep away from clothing and other combustible materials. P244: Keep valves and fittings free from oil and grease.	
Response:	P370+P376: In case of fire: Stop leak if safe to do so.	
Storage:	P403: Store in a well-ventilated place.	
Disposal	None.	
2.3 Other hazards	None.	



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Oxygen, compressed

Issue Date: Last revised date: 16.01.2013 14.07.2022 Version: 1.4

SDS No.: 000010021701 3/15

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Oxygen
INDEX No.:	008-001-00-8
CAS-No.:	7782-44-7
EC No.:	231-956-9
REACH Registration No.:	Listed in Annex IV/V of Regulation (EC) No 1907/2006 (REACH), exempted from registration.
Purity:	100%
	The purity of the substance in this section is used for classification only, and does not represent the actual purity of the substance as supplied, for which other documentation should be consulted.
Trade name:	Gasart 201 Sauerstoff, Gasart 205 Sauerstoff 3.5, Gasart 210 Sauerstoff 4.5, Gasart 211 Sauerstoff 5.0, Gasart 213 Sauerstoff KW-frei, Gasart 204 Sauerstoff Höhenatmung, Gasart 212 Sauerstoff 6.0, Gasart 202 Conoxia® (Sauerstoff med.), Gasart 214 Biogon® 0, E948

Chemical name	Chemical formula	Concentration	CAS-No.	REACH Registration No.	M-Factor:	Notes
Oxygen	02	100%	7782-44-7	Listed in Annex IV/V of Regulation (EC) No 1907/2006 (REACH), exempted from registration.	-	

The concentrations of the components in the SDS header, product name on page one and in section 3.2 are in mol due to regulatory requirements. All concentrations are nominal.

This substance has workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

SECTION 4: First aid measures

General:

Inhalation:

Move the exposed person to fresh air at once.

4.1 Description of first aid measures

Move the exposed person to fresh air at once.

Eye contact: Adverse effects not expected from this product.

Skin Contact: Adverse effects not expected from this product.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Oxygen, compressed

Issue Date:	16.01.2013	Version: 1.4	SDS No.: 000010021701
Last revised date:	14.07.2022		4/15

Ingestion:	Ingestion is not considered a potential route of exposure.
4.2 Most important symptoms and effects, both acute and delayed:	Continuous inhalation of concentrations higher than 75% may cause nausea, dizziness, respiratory difficulty and convulsion.

4.3 Indication of any immediate medical attention and special treatment needed Hazards: None.

None.

Treatment:

SECTION 5: Firefighting measures

General Fire Hazards:	Heat may cause the containers to explode.
5.1 Extinguishing media Suitable extinguishing media:	Water. Dry powder. Foam. Carbon Dioxide.
Unsuitable extinguishing media:	None.
5.2 Special hazards arising from the substance or mixture:	Supports combustion.
Hazardous Combustion Products:	None.
5.3 Advice for firefighters Special fire fighting procedures:	In case of fire: Stop leak if safe to do so. Continue water spray from protected position until container stays cool. Use extinguishants to contain the fire. Isolate the source of the fire or let it burn out.
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Guideline: EN 469 Protective clothing for firefighters. Performance requirements for protective clothing for firefighting. EN 15090 Footwear for firefighters. EN 659 Protective gloves for firefighters. EN 443 Helmets for fire fighting in buildings and other structures. EN 137 Respiratory protective devices - Self-contained opencircuit compressed air breathing apparatus with full face mask - Requirements, testing, marking.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Oxygen, compressed

Issue Date: Last revised date: 16.01.2013 14.07.2022 Version: 1.4

SDS No.: 000010021701 5/15

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:	Evacuate area. In case of leakage, eliminate all ignition sources. Provide adequate ventilation. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Monitor the concentration of the released product.
6.2 Environmental Precautions:	Prevent further leakage or spillage if safe to do so.
6.3 Methods and material for containment and cleaning up:	Provide adequate ventilation.
6.4 Reference to other sections:	Refer to sections 8 and 13.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Oxygen, compressed

Issue Date: Last revised date: 16.01.2013 14.07.2022 Version: 1.4

SDS No.: 000010021701 6/15

SECTION 7: Handling and storage:

7.1 Precautions for safe handling:	Only experienced and properly instructed persons should handle gases under pressure. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Keep equipment free from oil and grease. Open valve slowly to avoid pressure shock. Use only oxygen approved lubricants and sealants. Use only with equipment cleaned for oxygen service and rated for the pressure. Refer to supplier's handling instructions. The substance must be handled in accordance with good industrial hygiene and safety procedures. Protect containers from physical damage; do not drag, roll, slide or drop. Do not remove or deface labels provided by the supplier for the identification of the container contents. When moving containers, even for short distances, use appropriate equipment eg. trolley, hand truck, fork truck etc. Secure cylinders in an upright position at all times, close all valves when not in use. Provide adequate ventilation. Suck back of water into the container must be prevented. Do not allow backfeed into the container. Avoid suckback of water, acid and alkalis. Keep container below 50°C in a well ventilated place. Observe all regulations and local requirements regarding storage of containers. When using do not eat, drink or smoke. Store in accordance with local/regional/national/international regulations. Never use direct flame or electrical heating devices to raise the pressure of a container. Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use. Damaged valves should be reported immediately to the supplier Close container valve after each use and when empty, even if still connected to equipment. Never attempt to repair or modify container caps where supplied as soon as container is disconnected from equipment. Keep container valve outlets clean and free from contaminates particularly oil and water. If user experiences any difficulty operating container valve discontinue use and c
7.2 Conditions for safe storage, including any incompatibilities:	Containers should not be stored in conditions likely to encourage corrosion. Stored containers should be periodically checked for general conditions and leakage. Container valve guards or caps should be in place. Store containers in location free from fire risk and away from sources of heat and ignition. Keep away from combustible material. Avoid asphalted locations for storage, transfer and use (ignition risk if spilt). Segregate from flammable gases and other flammable materials being stored.
7.3 Specific end use(s):	None.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Oxygen, compressed

Issue Date:	
Last revised date:	

16.01.2013 14.07.2022 Version: 1.4

SDS No.: 000010021701 7/15

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters Occupational Exposure Limits				
	None of the components have assigned exposure limits.			
8.2 Exposure controls Appropriate engineering	Consider a work permit system e.g. for maintenance activities. Ensure adequate			
controls:	air ventilation. Avoid oxygen rich (>23,5%) atmospheres. Gas detectors should b used when quantities of oxidizing gases may be released. Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded. Systems under pressure should be regularly checked for leakages. Preferably use permanent leak tight connections (eg. welded pipes). Do not eat, drink or smoke when using the product.			
Individual protection measures, si	uch as personal protective equipment			
General information:	A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk. The following recommendations should be considered. Keep self contained breathing apparatus readily available for emergency use. Personal protective equipment for the body should be selected based on the task being performed and the risks involved.			
Eye/face protection:	Wear eye protection to EN 166 when using gases. Guideline: EN 166 Personal Eye Protection.			
Skin protection Hand Protection:	Guideline: EN 388 Protective gloves against mechanical risks.			
	Additional Information: Wear working gloves while handling containers			
Body protection:	No special precautions.			
Other:	Wear safety shoes while handling containers Guideline: ISO 20345 Personal protective equipment - Safety footwear.			
Respiratory Protection:	Not applicable.			
Thermal hazards:	No precautionary measures are necessary.			
Hygiene measures:	Specific risk management measures are not required beyond good industrial hygiene and safety procedures. Do not eat, drink or smoke when using the product.			



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Oxygen, compressed

Issue Date: Last revised date: 16.01.2013 14.07.2022 Version: 1.4

SDS No.: 000010021701 8/15

Environmental exposure	
controls:	

For waste disposal, see section 13 of the SDS.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	
Physical state:	Gas
Form:	Compressed gas
Color:	Colorless
Odor:	Odorless
Odor Threshold:	Odor threshold is subjective and is inadequate to warn of over exposure.
oH:	Not applicable.
Melting Point:	-218,4 °C
Boiling Point:	-183 °C
Sublimation Point:	Not applicable.
Critical Temp. (°C):	-118,0 °C
Flash Point:	Not applicable to gases and gas mixtures.
Evaporation Rate:	Not applicable to gases and gas mixtures.
Flammability (solid, gas):	This product is not flammable.
Flammability Limit - Upper (%):	Not applicable.
Flammability Limit - Lower (%):	Not applicable.
Vapor pressure:	No reliable data available.
/apor density (air=1):	1,1 (0 °C) AIR=1
Relative density:	1,1 (0 °C ,Reference material: Water)
Solubility(ies)	
Solubility in Water:	39 mg/l
Partition coefficient (n-octanol/water):	Not known.
Autoignition Temperature:	Not applicable.
Decomposition Temperature:	Not known.
/iscosity	
Kinematic viscosity:	No data available.
Dynamic viscosity:	No data available.
Explosive properties:	Not applicable.
Oxidizing properties:	Oxidizing

9.2 Other information:

Gas/vapour heavier than air. May accumulate in confined



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Oxygen	,	C01	mpr	es	sed

Issue Date:	16.01.2013	Version: 1.4	SDS No.: 000010021701
Last revised date:	14.07.2022		9/15

	spaces, particularly at or below ground level.			
Molecular weight:	32 g/mol (02)			
SECTION 10: Stability and reactivit	y			
10.1 Reactivity:	No reactivity hazard other than the effects described in sub-section below.			
10.2 Chemical Stability:	Stable under normal conditions.			
10.3 Possibility of hazardous reactions:	Violently oxidises organic material. May react violently with combustible materials. May react violently with reducing agents.			
10.4 Conditions to avoid:	None.			
10.5 Incompatible Materials:	Combustible materials Reducing agents. Keep equipment free from oil and grease. For material compatibility see latest version of ISO-11114. Consider the potential toxicity hazard due to the presence of chlorinated or fluorinated polymers in high pressure (>30 bar) oxygen lines and equipment in case of combustion.			
10.6 Hazardous Decomposition Products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.			
SECTION 11: Toxicological informa	tion			
General information:	None.			
11.1 Information on toxicological eff	fects			
Acute toxicity - Oral Product	Based on available data, the classification criteria are not met.			
Acute toxicity - Dermal Product	Based on available data, the classification criteria are not met.			
Acute toxicity - Inhalation Product	Based on available data, the classification criteria are not met.			
Skin Corrosion/Irritation Product	Based on available data, the classification criteria are not met.			



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Issue Date:	16.01.2013	Version: 1.4	SDS No.: 000010021701
Last revised date:	14.07.2022		10/15

Serious Eye Damage/Eye Irritati Product	Serious Eye Damage/Eye Irritation Product Based on available data, the classification criteria are not met.				
Respiratory or Skin Sensitizatior Product	n Based on available data, the classification criteria are not met.				
Germ Cell Mutagenicity Product	Based on available data, the classification criteria are not met.				
Carcinogenicity Product	Based on available data, the classification criteria are not met.				
Reproductive toxicity Product	Based on available data, the classification criteria are not met.				
Specific Target Organ Toxicity - S Product	Single Exposure Based on available data, the classification criteria are not met.				
Specific Target Organ Toxicity - I Product	Repeated Exposure Based on available data, the classification criteria are not met.				
Aspiration Hazard Product	Not applicable to gases and gas mixtures				
SECTION 12: Ecological information					
General information:	Not applicable				
12.1 Toxicity					
Acute toxicity Product	No ecological damage caused by this product.				
12.2 Persistence and Degradability Product	Not applicable to gases and gas mixtures				
12.3 Bioaccumulative potential Product	The substance is naturally occurring.				
12.4 Mobility in soil Product	Because of its high volatility, the product is unlikely to cause ground or water pollution.				



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Oxygen, co	mpressed
------------	----------

Issue Date:	16.01.2013	Version: 1.4	SDS No.: 000010021701
Last revised date:	14.07.2022		11/15

12.5 Results of PBT and vPvB assessment Product	Not classified as PBT or vPvB.
12.6 Other adverse effects:	No ecological damage caused by this product.
SECTION 13: Disposal considerat	tions

13.1 Waste treatment methods

General information:	Do not discharge into any place where its accumulation could be dangerous. Vent to atmosphere in a well ventilated place.	
Disposal methods:	Refer to the EIGA code of practice (Doc.30 "Disposal of Gases", downloadable at http://www.eiga.org) for more guidance on suitable disposal methods. Dispose of container via supplier only. Discharge, treatment, or disposal may be subject to national, state, or local laws.	
<u>European Waste Codes</u> Container:	16 05 04*: Gases in pressure containers (including halons) containing dangerous substances.	

SECTION 14: Transport information

ADR

-		
	14.1 UN Number:	UN 1072
	14.2 UN Proper Shipping Name:	OXYGEN, COMPRESSED
	14.3 Transport Hazard Class(es)	
	Class:	2
	Label(s):	2.2, 5.1
	Hazard No. (ADR):	25
	Tunnel restriction code:	(E)
	14.4 Packing Group:	-
	14.5 Environmental hazards:	Not applicable
	14.6 Special precautions for user:	-



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Oxygen, compressed	ſ
--------------------	---

Issue Date:	16.01.2013	Version: 1.4	SDS No.: 000010021701
Last revised date:	14.07.2022		12/15

RID

14.1 UN Number:	UN 1072
14.2 UN Proper Shipping Name	OXYGEN, COMPRESSED
14.3 Transport Hazard Class(es)	
Class:	2
Label(s):	2.2, 5.1
14.4 Packing Group:	_
14.5 Environmental hazards:	Not applicable
14.6 Special precautions for user:	-
IMDG	
14.1 UN Number:	UN 1072

	UN 1072
14.2 UN Proper Shipping Name:	OXYGEN, COMPRESSED
14.3 Transport Hazard Class(es)	
Class:	2.2
Label(s):	2.2, 5.1
EmS No.:	F-C, S-W
14.4 Packing Group:	_
14.5 Environmental hazards:	Not applicable
14.6 Special precautions for user:	-

IATA

14.1 UN Number: 14.2 Proper Shipping Name: 14.3 Transport Hazard Class(es):	UN 1072 Oxygen, compressed
Class:	2.2
Label(s):	2.2, 5.1
14.4 Packing Group:14.5 Environmental hazards:14.6 Special precautions for user: Other information	– Not applicable –
Passenger and cargo aircraft:	Allowed.
Cargo aircraft only:	Allowed.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable

Additional identification: Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers ensure that they are firmly secured. Ensure that the container valve is closed and not leaking. Container valve guards or caps should be in place. Ensure adequate air ventilation.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Oxygen, compressed

Issue Date: Last revised date: 16.01.2013 14.07.2022 Version: 1.4

SDS No.: 000010021701 13/15

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

EU. Directive 2012/18/EU (SEVESO III) on major accident hazards involving dangerous substances, as amended.:

Chemical	CAS-No.	Lower-tier	Upper-tier
		Requirements	Requirements
Oxygen	7782-44-7	200 t	2.000 t

Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:

Chemical name	CAS-No.	Concentration
Oxygen	7782-44-7	100%

National Regulations

	Council Directive 89/391/EEC on the introduction of measures to encourage improvements in the safety and health of workers at work Directive 2016/425/EEC on personal protective equipment Only products that comply with the food regulations (EC) No. 1333/2008 and (EU) No. 231/2012 and are labelled as such may be used as food additives. This Safety Data Sheet has been produced to comply with Regulation (EU) 2015/830.
15.2 Chemical safety assessment:	Listed in Annex IV/V of Regulation (EC) No 1907/2006 (REACH), exempted from registration. A CSA does not need to be carried out for this product.
SECTION 16: Other information	

Revision Information: Not relevant.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Oxygen, compressed

Issue Date:	16.01.2013	Version: 1.4	SDS No.: 000010021701
Last revised date:	14.07.2022		14/15

Key literature references and sources for data:	Various sources of data have been used in the compilation of this SDS, they include but are not exclusive to: Agency for Toxic Substances and Diseases Registry (ATSDR) (http://www.atsdr.cdc.gov/). European Chemical Agency: Guidance on the Compilation of Safety Data Sheets. European Chemical Agency: Information on Registered Substances http://apps.echa.europa.eu/registered/registered-sub.aspx#search European Industrial Gases Association (EIGA) Doc. 169 "Classification and Labelling guide", as amended. International Programme on Chemical Safety (http://www.inchem.org/) ISO 10156:2010 Gases and gas mixtures - Determination of fire potential and oxidizing ability for the selection of cylinder valve outlets. Matheson Gas Data Book, 7th Edition. National Institute for Standards and Technology (NIST) Standard Reference Database Number 69. The ESIS (European chemical Substances 5 Information System) platform of the former European Chemicals Bureau (ECB) ESIS (http://ecb.jrc.ec.europa.eu/esis/). The European Chemical Industry Council (CEFIC) ERICards. United States of America's National Library of Medicine's toxicology data network TOXNET (http://toxnet.nlm.nih.gov/index.html) Threshold Limit Values (TLV) from the American Conference of Governmental Industrial Hygienists (ACGIH). Substance specific information from suppliers.
	Substance specific information from suppliers. Details given in this document are believed to be correct at the time of publication.

Wording of the H-statements in section 2 and 3

H270	May cause or intensify fire; oxidizer.
H280	Contains gas under pressure; may explode if heated.

Training information:	Users of breathing apparatus must be trained. Ensure operators understand the
	hazard of oxygen enrichment. Ensure operators understand the hazards.

Classification according to Regulation (EC) No 1272/2008 as amended.

	, ,	Ox. Gas 1, H270 Press. Gas Compr. Gas, H280
Other information:		Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out. Ensure adequate air ventilation. Ensure all national/local regulations are observed. Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

 Issue Date:
 16.01.2013
 Version: 1.4
 SDS No.: 000010021701

 Last revised date:
 14.07.2022
 15/15

Last revised date: Disclaimer: 14.07.2022

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.